# Prenatal Record Part 1 A

***See Risk Guide and BMI Chart on Reverse***

| Maiden Name | Age at EDD | Language Preferred<br>Inuktitut Inuinnaqtun<br>English French Other |
|---|---|---|

| Ethnic Origin:<br>Inuk Dene Other 1st Nations<br>Métis Non-Aboriginal | Highest Education Level | Working<br>Yes<br>No | Hrs/wk: |
|---|---|---|---|
| Ethnic Origin:<br>Inuk Dene Other 1st Nations<br>Métis Non-Aboriginal | Highest Education Level | Working<br>Yes<br>No | Hrs/wk: |
| Yes No | (cm) | Weight (kg) | |

| Surname | Given Name |
|---|---|
| Address | Home Community |
| Phone Number | Date of Birth |
| Hospital Chart # | HCP # |

## 3. OBSTETRICAL HISTORY

| Date | Place of Birth / Abortion | Gest. Age | Hours of Labour | Type of Delivery | Comments (mother / infant)<br>*(If applicable, please record birth defect present, cause of death)* | Sex | Birth Weight | Present Health |
|---|---|---|---|---|---|---|---|---|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

| **4. METHOD OF CONTRACEPTION**<br>Type (specify): | Date Stopped<br>*DD MM YYYY* | **LMP:** *DD MM YYYY*<br>Cycle: / | Certain<br>Uncertain | Age of Menarche: | **FINAL EDD:**<br>*DD MM YYYY* | Based on: LMP<br>U/S |
|---|---|---|---|---|---|---|

## 5. PRESENT PREGNANCY

| *No* | *Yes (Specify)* | |
|---|---|---|
| Bleeding (date) | | |
| Nausea | | |
| Fever | | If yes, GA: *wks +days* |
| Current TB | Active | Yes No |
| Other infection | | If yes, GA: *wks +days* |

Cigarettes: Yes No Amount (cig/day):_____ Quit: *DD MM YYYY*

Marijuana: Yes No #Joints:____ Hashish: Yes No #Joints:___

Freq: Daily Weekly Monthly Occ Freq: Daily Weekly Monthly Occ

# People smoking inside the house (cig): _____ (marij): _____

Alcohol: Yes No Freq: Daily Weekly Monthly Occ

TWEAK Score:

*(See reverse of Part 3)*

## 6. MEDICAL HISTORY

| *No* | *Yes (Specify)* | |
|---|---|---|
| ALLERGIES | | |
| Renal | | |
| Cardiac | | |
| Hypertension | | |
| Neurological | | |
| Gastrointestinal | | |
| STIs | | |
| Surgery | | |
| Transfusions | | |
| Endocrine/Diabetes | Non-Insulin dependent | Insulin dependent |
| | Other | |
| Asthma | | |
| Mental Health | | |
| Birth Defect | | |
| Other (TB, etc.) | | |

Birth Defect *DD MM YYYY*

## 9. CURRENT MEDICATIONS (including over-the-counter drugs)

Antidepressant: _____ Anticonvulsant: _____

Version 2.0 (Aug 2011). Partly adapted from BCPHP Antenatal Records, 2007. Approved by Department of Health & Social Services, Nunavut.

# Prenatal Record - Part 1 B

## RISK ASSESSMENT GUIDE

### PAST OBSTETRICAL HISTORY

- Abortion (12-20 weeks)
- Caesarean birth (uterine surgery)
- Habitual abortion (3+)
- Hypertensive disorders of pregnancy
- IUGR baby
- Macrosomic baby
- Major congenital anomalies (e.g. Cardiac, CNS, Down Syndrome)
- Neonatal death
- Placental abruption
- Postpartum hemorrhage
- Preterm birth (<37 weeks)
- Rh isoimmunization (affected infant)
- Rh isoimmunization (unaffected infant)
- Stillbirth

### MEDICAL HISTORY

**DIABETES**

- Controlled by diet only
- Insulin dependent
- Retinopathy documented

**HEART DISEASE**

- Asymptomatic (no effect on daily living)
- Symptomatic (affects daily living)

**HYPERTENSION**

- 140/90 or greater
- Anti-hypertensive drugs
- Chronic renal disease

**OTHER**

- Age under 18 at delivery
- Age 35 or over at delivery
- Alcohol and/or drugs
- BMI less than 18.5 (underweight)
- BMI over 30 (obesity)
- Depression
- Height (under 152cm or 5ft. 0 in.)
- Smoking
- Other medical/surgical disorders eg. epilepsy, severe asthma, lupus, etc.

### PROBLEMS IN CURRENT PREGNANCY

- Abnormal maternal serum screening (HCG or AFP > 2.0 MOM)
- Alcohol and/or drugs
- Anemia (<100 g per L)
- Antepartum bleeding
- Blood antibodies (Rh, Anti C, Anti K, etc.)
- Decreased fetal movement
- Depression
- Diagnosis of large for dates
- Diagnosis of small for dates (IUGR)
- Gestational diabetes
- Hypertensive disorders of pregnancy
- Malpresentation
- Membranes ruptured before 37 weeks
- Multiple pregnancy
- Polyhydramnios or oligohydramnios
- Poor weight gain 26-36 weeks (<0.5 kg/wk or weight loss)
- Pregnancy >42 weeks
- Preterm labour
- Proteinuria 1+ or greater
- Smoking any time during pregnancy

To estimate pre-pregnancy BMI, locate the point on the chart where height and weight intersect. Read the number on the dashed line closest to this point.

Health Risk Classification According to BMI

| Classification | BMI | Risks of developing health programs |
|---|---|---|
| Underweight | < 18.5 | Increased |
| Normal | 18.5 24.9 | Least |
| Overweight | 25 29.9 | Increased |
| Obese I | 30 34.9 | High |
| Obese II | 35 39.9 | Very High |
| Obese III | > = 40 | Extremely High |

*Adapted from: WHO (2000) Obesity: Preventing and Managing the Global Epidemic: Report of a WHO Consultation on Obesity*

*Source: Health Canada. Canadian Guidelines for Body Weight Classification in Adults. Ottawa: Minister of Public Works and Government Services Canada; 2003.*



**INITIAL VISIT / 1st TRIMESTER ( _____Weeks)**

**19a. Vitamins & Iron Status**

Vitamins being taken **at conception**? Yes No

Type: Multi Prenatal Folic Acid only

Other: _____

Vitamins taken in 1st trimester: Yes No

Freq: Daily Weekly Monthly